

EDGE CUTTER UNITS FOR LIGHT AND HEAVY MATERIAL

COUNTER KNIFE VERSIONS

The counter knife system functions with an upper knife and lower knife integrated in the throat plate. For light and heavy material

SPECIAL FEATURES:

- Different counter knives for light, medium and heavy material
- Adaptable to all common sewing machine makes
- For use on sewing machines with a hook to the right of the needle
- Own knife drive motor with electronic actuation
- Cutting distances: 1.2 / 1.5 / 1.7 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 and 5.0, 6.0, 7.0 and 8.0 mm
- Upper knife width: 9, 13 and 16 mm
- A sewing machine with a hook to the left of the needle is required for cutting distances greater than 5.0 mm

CUTTING DISTANCES, INCLUDING ACC. TO CUSTOMER WISH

We manufacture the right sewing equipment for your sewing machine, consisting of the transporter, needle bar, throat plate and sewing foot.

MK DIFFERENTIATES BETWEEN THREE COUNTER KNIFE VERSIONS

COUNTER KNIFE NORMAL VERSION

- Mechanical structure identical to punching knives version
- For thin material thicknesses

COUNTER KNIFE STRONG VERSION

- Mechanical structure reinforced
- Drive motor with gearbox
- For medium material thicknesses

COUNTER KNIFE STRONG VERSION STROKE 8 MM

- For use on sewing machines with a hook to the left of the needle
- Mechanical structure reinforced
- Drive motor with gearbox
- Knife stroke of 8.0 mm
- For heavy material

EDGE CUTTER UNITS FOR LIGHT AND HEAVY MATERIAL

COUNTER KNIFE NORMAL VERSIONS


The counter knife system functions with an upper knife and lower knife integrated in the throat plate. For light and medium material

SPECIAL FEATURES:


- For light and medium material
- Adaptable to all conventional sewing machine makes
- For use on sewing machines with a hook to the right of the needle
- Own knife drive motor with electronic actuation
- Cutting distances: 1.2 / 1.5 / 1.7 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 and 5.0, 6.0, 7.0 and 8.0 mm
- Upper blade width: 9, 13 and 16 mm
- A sewing machine with a hook to the left of the needle is required or cutting distances greater than 5.0 mm.

CUTTING DISTANCES, INCLUDING ACC. TO CUSTOMER WISH

We manufacture the right sewing equipment for your sewing machine, consisting of the transporter, needle bar, throat plate and sewing foot.



Counter knife normal version, on a flatbed/wheel feed/ sewing machine with pneumatic edge stop




Counter knife normal version, on a flatbed/wheel feed/ sewing machine with pneumatic edge stop



Counter knife normal version, on a flatbed/wheel feed/ sewing machine with pneumatic edge stop



Counter knife on a flatbed/ drop feed/sewing machine, hook on right, with integrated Piping Guide



Counter knife on a flatbed/ drop feed/sewing machine, hook on right, with integrated Piping Guide

EDGE CUTTER UNITS FOR LIGHT AND HEAVY MATERIAL

COUNTER KNIFE STRONG VERSION

Version with drive motor and gearbox
For medium and heavy material thicknesses.

SPECIAL FEATURES:

- For medium and heavy material thicknesses
- Adaptable to all conventional sewing machine makes
- For use on sewing machines with a hook to the right of the needle
- Own knife drive motor with electronic actuation
- Cutting distances: 1.2 / 1.5 / 1.7 / 2.0 / 2.5 / 3.0 / 3.5 / 4.0 and 5.0, 6.0, 7.0 and 8.0 mm.
- Upper blade width: 9, 13 and 16 mm
- A sewing machine with a hook to the left of the needle is required for cutting distances greater than 5.0 mm.

CUTTING DISTANCES, INCLUDING ACC. TO CUSTOMER WISH

We manufacture the right sewing equipment for your sewing machine, consisting of the transporter, needle bar, throat plate and sewing foot.



Counter knife strong version, for medium material



Counter knife on a flatbed/ drop feed/sewing machine, hook on right, short thread trimmer



Counter knife on a flatbed/ drop feed/sewing machine, hook on right, short thread trimmer

EDGE CUTTER UNITS FOR ALL COMMON SEWING MACHINE MAKES

COUNTER KNIFE STROKE 8 mm


The counter knife system functions with an upper knife and lower knife integrated in the throat plate. For medium and heavy material thicknesses.

SPECIAL FEATURES:

- For upholstered seating furniture up to 8 mm thick
- Cutting of very thick material with special knife and a stroke of 8 mm
- Only for drop feed machines with a hook on the left
- Cutting distances of 2.0 to 8.0 mm.

CUTTING DISTANCES, INCLUDING ACC. TO CUSTOMER WISH

We manufacture the right sewing equipment for your sewing machine, consisting of the transporter, needle bar, throat plate and sewing foot.



Counter knife on a flatbed/ drop feed/sewing machine, hook on left, knife stroke of 2.0 to 8.0 mm.